

Solar Fasteners

In our production areas we produce all needed components for the sub construction of your solar system. Count on the right screw together.

We deliver everything.

For all of our products, we offer you the suitable screws, nuts etc.

We delivery fast and short-termed – even high amounts!

Almost all of our screws we deliver pre assembled - we just do the annoying screw-together for you.

All screws according to DIN ISO.

Of course you can order all of our screws with DIN ISO certification.



Hexagon Socket Screw M8

- Thread M8
- Drive SW 5 mm
- Optional with screw locking varnish
- Available in different lengths
- Material: Stainless steel 304
- To connect the module clip
- Hexagon socket screw DIN/ISO certified



Counter sunk Screw M8

- Thread M8
- Counter-sunk screw DIN 7991
- Drive SW 5 mm
- Available in different length
- Material: Stainless steel
- For connection of the Module Mid Clip



Lag Screw M10

- Easy and individual placing on the mounting rail
- Face side slit for fit control
- E.g. compatible with DK cross connectors or DK butt connectors
- Material: Stainless steel



Locking Nut/ Flange Nut M8

- Thread M8/ M10
- Locking nut for a secure connection
- For round-head and anchor screws
- Material: Stainless steel



Spring Washer M8

- Prevents loosening of the screw connection
- Material: Stainless steel




Roof Hook 30 x 5 mm

- Battens = 30 mm / 24 mm
- Roof hook for the installation of the sub-construction on rafters
- for roofs with clay or concrete roofing tiles
- Usable for all current clay and concrete roof tiles
- Made of stainless steel according to EN10088
- Material: Stainless steel



Rail Adapter

- Fast, easy orientation on current profiled sheeting elements
- Time saving through rivet connection on the roof
- Recommended rivets and riveting tool will be provided
- Connection of the rail possible with anchor screws M10x20
- Secure water-proof connection through a EPDM pad coating
- Practical installation from the top and the side
- Height adjustment is possible



Hanger Bolt

- Compatible with all current trapezoid and sandwich elements
- Pre-assembled with a waterproof seal, trim and washer, nut and connection
- plate with self locking nuts DIN 6923 on both sides
- M10 x 200, different lengths on request
- Material: Stainless steel

